


Reservoir Level & Temperature Probes

NIVOTEMP M SERIES




- Level and temperature reservoir probe with G3/4 connection
- Level switches may be set as falling closing (FC) or falling opening (FO)
- Temperature switches available in 50, 55, 60, 70, 80 or 90°C normally open (NO) or normally closed (NC). Switches have 20°C hysteresis
- Standard probe length of 370mm

part number	level	temperature
M-0-370-1L	1 switch	-
M-0-370-2L	2 switches	-
M-0-370-3L	3 switches	-
M-1-370-2L-TS	2 switches	1 switch
M-1-370-1L-TS	1 switch	1 switch

NIVOTEMP SERIES

Nivotemp 61-0



- Level and temperature reservoir probe with 6 hole (DIN) flange connection
- Level and temperature switches as per Nivotemp M but hysteresis on 61-2 is 10°C
- 61- hysteresis and switching temperature is factory set
- Standard probe length of 370mm

part number	level	temperature
61-0-370-2L	2 switches	-
61-2-370-2L-TS	2 switches	1 switch
61-2A-370-2L-TS	2 switches	2 switches
62-2-370-2L-DISP	2 switches	PT100 signal
62-2-370-2L-PLC	2 switches	4-20mA
63KN-370	4-20mA	-
63K-370	4-20mA	4-20mA

standard lengths (mm) : 520, 670, 820, 970, 1100

all probes (excluding 63 series)

63 series

custom length